enzymes.bio

Add enzymes. Add value.

TECHNICAL DATA SHEET

TDS-ENZ337-EN · REV. 02 · 2026-11-03

Feed-Grade Wheat Diet Compound Enzyme

Multi-enzyme blend with xylanase and protease for wheat-based poultry and swine diets.

SKU **ENZ337** CATEGORY **ENZYMES FOR ANIMAL FEED** GRADE **FEED GRADE** CATEGORY **ENZYMES FOR ANIMAL FEED**

Not restricted for transport

RECOMMENDED INCLUSION
100–200 g/ton
complete feed; adjust upward with wheat inclusion level

SHELF LIFE
12 months
sealed, see storage below

PACK SIZE
1 kg/bag
net content 1 kg/bag

WHEAT REPLACEMENT FOR CORN, SWINE FINISHING
30–70%
recommended range for the finishing stage

SPECIFICATION

IDENTITY	
Product type	Feed-grade multi-enzyme blend Typical
Enzyme activities	**Cellulase, xylanase, β-glucanase, acid protease, neutral protease, β-mannanase** Typical
COMPOSITION	
Carrier	Rice husk powder, maifanite Typical
PHYSICAL	
Net content	1 kg/bag Typical
Colour	May vary slightly; stated not to affect efficacy Typical

Spec = release limit, confirmed on every lot's Certificate of Analysis. **Typical** = normal product behaviour, not a release limit.

STORAGE & PACKAGING

SHELF LIFE
12 months

STORAGE
Not stated

PACK SIZE
1 kg/bag

ORDERING
Online or by e-mail; current price on the product page

APPLICATIONS

Add to wheat-based poultry and swine complete feed.
Improves breakdown of complex carbohydrates and proteins in wheat.

Apply in rations with wheat middlings or bran.
Supports better utilization of wheat by-products in complete feed.

Use where wheat partially replaces corn.
Supports more consistent feeding performance as wheat inclusion increases.

Apply across common poultry and swine production stages.
Allows usage to be adjusted to the proportion of wheat in the diet.

DOSAGE

100–200 g/ton
complete feed

Application	**Wheat-based diets; wheat middlings/bran programs**
Adjustment	**Adjust upward as needed according to the wheat inclusion level**
Swine, wheat replacement for corn	**Nursery stage: 20–30%; Growing stage: 30–50%; Finishing stage: 30–70%; Sows: 30–50%**
Poultry, wheat replacement for corn	**Young birds: 20–30%; Mid-to-large birds: 20–40%; Layers & breeders: 20–30%**

Raw material composition and process parameters may vary. Confirm the final method and application rate by trial.

Each lot is released against its specification; the lot Certificate of Analysis reports the measured values.

enzymes.bio · Level 1, 6 Johnsonville Road, Wellington 6037, New Zealand · **Tel (USA) +1 (507) 428-6057** · wholesale@enzymes.bio

Online: enzymes.bio/product/feed-grade-wheat-diet-compound-enzyme

Enzyme preparations are proteins and may sensitise; avoid skin, eye and inhalation contact. This technical data sheet gives the product specification and typical values; it is not a batch certificate. A Certificate of Analysis for the supplied lot accompanies each shipment. Safety Data Sheet on request.

SCAN TO ORDER